

PPSW-1101



24-Port Gigabit 802.3at Managed PoE Switch , (PoE Budget 440W)

► Specifications

Product Profile

Original Manufacturer	PLANET
Product Type	Data Switch
Original Model	GS-4210-24PL4C
Description	24-Port Gigabit 802.3at Managed PoE Switch , (PoE Budget 440W)
Switch Class	Layer 2
Switch Architecture	Store-and-Forward

Switch Performance

Switching Capacity	56Gbps, Non-Blocking
Forwarding Rate	41.67Mpps
MAC Address Table	16K
Packet Buffer	4.1 megabits
Flow Control	IEEE 802.3x pause frame for full-duplex; Back pressure for half-duplex
Jumbo Frame	12K

Network

Network Protocol & Service	IPv4/v6, IEEE 802.1Q, STP, RSTP, MSTP, IGMP, IEEE 802.1p, IEEE 802.1Q, IEEE 802.1X, SNMP, SSH, SSL/TLS
----------------------------	--

Ethernet Port	Total ports: 28 port(s) Non-PoE: 4 port(s), Ethernet (100/1000 Base-X), SFP transceiver PoE: 24 port(s), Ethernet (10/100/1000 Base-T), RJ-45 connector
Security	TLS v1.2, TLS v1.3 encrypted communication

System

Managed	Yes (Layer 2 Managed)
Management Features	Web browser, Telnet

Interface


Serial Port	1 x RS-232
-------------	------------

General


PoE Standard	IEEE 802.3af, IEEE 802.3at
PoE Output	Maximum 30 Watts per port
PoE Power Budget	Maximum 440W (25°C) Maximum 380W (50°C)
Power Source	AC 100-240V
Weight	4460.5g(9.83lb)
Dimensions	(W x H x D): 440mm x 44.5mm x 300mm (17.32" x 1.75" x 11.81") Rack Space: 1U
Fan	Yes, 3 fan(s)
Operating Temperature	0°C ~ 50°C (32°F ~ 122°F)
Storage Temperature	-20 °C ~ 70 °C (-4 °F ~ 158 °F)
Operating Humidity	5% - 95% RH, non-condensing
Remote Access	Web Client, Telnet
ESD Protection	Contact Discharge: 6KV, Air Discharge: 8KV
Approvals	CE Class A, FCC Class A
Color	Deep Blue
Material	Metal
Warranty	1 Year(s)

▶ Related Products


Cube - Fixed Cube


E11		1MP Cube with Basic WDR, Fixed lens, f4.2mm/F1.8 (HOV:53.8°), H.264, 720p/30fps, DNR, Audio, PoE
E11A		1MP Cube with Basic WDR, Fixed lens, f4.2mm/F1.8 (HOV:53.8°), H.264, 720p/30fps, DNR, Built-in Microphone, PoE
E13A		5MP Cube with Basic WDR, Fixed lens, f2.8mm/F2.0 (HOV:92.6°), H.264, 1080p/30fps, DNR, Built-in Microphone, PoE


E14  10MP Cube with Basic WDR, Fixed lens, f3.6mm/F1.8 (HOV:99°), H.264, 1080p/30fps, DNR, Built-in Microphone, PoE

E19  5MP Cube with Extreme WDR, SLLS, Fixed lens, f2.8mm/F1.8 (HOV:117.5°), H.265/H.264, 1080p/30fps, 2D+3D DNR, Built-in Microphone, PoE


Box - Fixed Box

A213  5MP Box with D/N, Extreme WDR, ELLS, Fixed lens, f2.8mm/F2.0, Auto Back Focus, H.265/H.264, 2D+3D DNR, Built-in Microphone, PoE/DC12V, DI/DO, RS-485


A29  2MP Box with D/N, Extreme WDR, ELLS, Fixed lens, f2.8mm/F1.8 (HOV:108.6°), Auto Back Focus, H.265/H.264, 1080p/60fps, 2D+3D DNR, Audio, PoE/DC12V, DI/DO, RS-485

E217  2MP Video Analytics Box with D/N, Extreme WDR, SLLS, Fixed lens, f2.93mm/F2.0 (HOV:101.3°), H.264, 1080p/60fps, 2D+3D DNR, Audio, PoE/DC12V, DI/DO, RS-422/RS-485, Built-in Analytics


Box - Zoom Box


B26  3MP Video Analytics Zoom Box with D/N, Extreme WDR, SLLS, 36x Zoom lens, f4.6-165.6mm/F1.55-5.0 (HOV:57.6°-2.35°), DC iris, Auto Focus, H.265/H.264, 2D+3D DNR, Audio, PoE/DC12V, DI/DO, RS-422/RS-485, Built-in Analytics


Bullet - Fixed Bullet


A313  4MP Mini Bullet with D/N, IR, Extreme WDR, SLLS, Fixed lens, f2.8mm/F1.6 (HOV:99°), H.265/H.264, 3D DNR, PoE/DC12V, IP68, IK10 (metal casing)


A314  6MP Mini Bullet with D/N, IR, Extreme WDR, SLLS, Fixed lens, f2.8mm/F1.6, H.265/H.264, 3D DNR, PoE/DC12V, IP67, IK10


E33A  5MP Bullet with D/N, Adaptive IR, Basic WDR, Fixed lens, f4.2mm/F1.8 (HOV:62.7°), H.264, 1080p/30fps, DNR, PoE, IP68, IK10 (metal casing)


K31  2MP Deep Learning AI f2.8mm Fixed Bullet with IR LED 50m, WDR 130dB

K31-P1  2MP Deep Learning AI f4.0mm Fixed Bullet with IR LED 50m, WDR 130dB


K32  4MP Deep Learning AI f2.8mm Fixed Bullet with IR LED 50m, WDR 130dB

















K32-P1  4MP Deep Learning AI f4.0mm Fixed Bullet with IR LED 50m, WDR 130dB

K33  5MP Deep Learning AI f2.8mm Fixed Bullet with IR LED 50m, WDR 130dB


L31  2MP Deep Learning AI f2.8mm Fixed Bullet with IR LED 55m, White LED 50m, Smart Dual Light, WDR 140dB


L31-P1 

L33  6MP Deep Learning AI f2.8mm Fixed Bullet with IR LED 55m, White LED 50m, Smart Dual Light, WDR 140dB
















L33-P1		
Z315		5MP Mini Bullet with D/N, Adaptive IR, Superior WDR, SLLS, Fixed lens, f2.8mm/F1.6 (HOV:112.9°), H.265/H.264, 2D+3D DNR, Built-in Microphone, PoE/DC12V, IP68
Z316		2MP Mini Bullet with D/N, Adaptive IR, Superior WDR, SLLS, Fixed lens, f2.8mm/F2.0 (HOV:108.6°), H.265/H.264, 1080p/30fps, 2D+3D DNR, Built-in Microphone, PoE/DC12V, IP68
Z316-P1		2MP Mini Bullet with D/N, Adaptive IR, Superior WDR, SLLS, Fixed lens, f4.0mm/F2.0 (HOV:81.1°), H.265/H.264, 1080p/30fps, 2D+3D DNR, Built-in Microphone, PoE/DC12V, IP68
Z317		4MP Mini Bullet with D/N, Adaptive IR, Superior WDR, SLLS, Fixed lens, f2.8mm/F2.0 (HOV:90°), H.265/H.264, 1440p/25fps, 2D+3D DNR, Built-in Microphone, PoE/DC12V, IP68
Z317-P1		4MP Mini Bullet with D/N, Adaptive IR, Superior WDR, SLLS, Fixed lens, f4.0mm/F2.0 (HOV:71.3°), H.265/H.264, 1440p/25fps, 2D+3D DNR, Built-in Microphone, PoE/DC12V, IP68
Z318		8MP Mini Bullet with D/N, Adaptive IR, Superior WDR, SLLS, Fixed lens, f2.8mm/F1.6 (HOV:112.9°), H.265/H.264, 1440p/30fps, 2D+3D DNR, Built-in Microphone, PoE/DC12V, IP67
Z319		5MP Mini Bullet with D/N, Adaptive IR, Superior WDR, SLLS, Fixed lens, f2.8mm/F1.6 (HOV:112.9°), H.265/H.264, 2D+3D DNR, Built-in Microphone, PoE/DC12V, IP67
Z322		4MP Outdoor Mini Bullet with D/N, Adaptive IR, White LED (50 meters), Basic WDR, SLLS, Fixed lens, f2.8mm/F1.6 (HOV: 97°), H.265/H.264, 2D+3D DNR, Built-in Microphone, PoE/DC12V, IP67
Z324		4MP Mini Bullet with White LED, Superior WDR, SLLS, Fixed lens, f2.8mm/F1.0 (HOV:110.4°), H.265/H.264, 2D+3D DNR, Built-in Microphone, , PoE/DC12V, IP67
Z325		8MP Mini Bullet with D/N, Adaptive IR, Superior WDR, SLLS, Fixed lens, f2.8mm/F2.0 (HOV:102.1°), H.265/H.264, 1080p/30fps, 2D+3D DNR, Built-in Microphone, PoE/DC12V, IP68, IK10 (metal casing)
Z330		2MP Deep Learning AI ColorGuard f2.8mm Fixed Bullet with IR LED 50m, White LED 50m, Smart Dual Light, WDR 120dB
Z330-P1		2MP Deep Learning AI ColorGuard f4.0mm Fixed Bullet with IR LED 30m, White LED 30m, Smart Dual Light, WDR 120dB
Z331		4MP Deep Learning AI ColorGuard f2.8mm Fixed Bullet with IR LED 50m, White LED 50m, Smart Dual Light, WDR 120dB
Z331-P1		4MP Deep Learning AI ColorGuard f4.0mm Fixed Bullet with IR LED 50m, White LED 50m, Smart Dual Light, WDR 120dB
Z332		5MP Deep Learning AI ColorGuard f2.8mm Fixed Bullet with IR LED 50m, White LED 50m, Smart Dual Light, WDR 130dB
















Bullet - Vari-focal Bullet






A432-P1		9MP Vari-focal Bullet with IR LED 30m, Basic WDR
---------	---	--

E43B  5MP Bullet with D/N, Adaptive IR, Basic WDR, Vari-focal lens, f2.8-12mm/F1.4 (HOV:69.2°-28.2°), H.264, 1080p/30fps, DNR, Audio, PoE, IP68, IK10 (metal casing), DI/DO














Bullet - Zoom Bullet














A410		5MP Zoom Bullet with D/N, Adaptive IR, Extreme WDR, SLLS, 5x Zoom lens, f2.7-13.5mm/F1.4-3.3 (HOV:96.8°-30.7°), Adaptive iris, Auto Focus (for installation), H.265/H.264, 1080p/30fps, 2D+3D DNR, Audio, PoE/DC12V, IP66, IK10 (metal casing), DI/DO
A412		
A415		3MP Zoom Bullet with D/N, Adaptive IR, Extreme WDR, SLLS, 4.3x Zoom lens, f2.8-12mm/F1.4-2.8 (HOV:88°-25°), P-Iris, Auto Focus (for installation), H.265/H.264, 1080p/30fps, 2D+3D DNR, Audio, PoE/DC12V, IP66, IK10 (metal casing), DI/DO
A421		8MP Video Analytics Zoom Bullet with D/N, Adaptive IR, Extreme WDR, SLLS, 4.3x Zoom lens, f2.8-12mm/F1.3, Auto Focus (for installation), H.265/H.264, 4K/30fps, 2D+3D DNR, Audio, PoE/DC12V, IP66, IK10 (metal casing), DI/DO, Built-in Analytics
A422		4MP Zoom Bullet with D/N, IR, Extreme WDR, SLLS, 5x Zoom lens, f2.7-13.5mm/F1.6 (HOV:102.8°-32.4°), H.265/H.264, 3D DNR, Audio, PoE/DC12V, IP68, IK10 (metal casing), DI/DO
A423		6MP Zoom Bullet with D/N, IR, Extreme WDR, SLLS, 4.3x Zoom lens, f2.8-12mm/F1.6 (HOV:102.1°-34.5°), H.265/H.264, 3D DNR, Audio, PoE/DC12V, IP68, IK10 (metal casing), DI/DO
A425		2MP Zoom Bullet with D/N, Adaptive IR, Extreme WDR, ELLS, 4.3x Zoom lens, f2.8-12mm/F1.8-3.3 (HOV:106.6°-34.6°), Adaptive iris, Auto Focus (for installation), H.265/H.264, 1080p/60fps, 2D+3D DNR, Audio, PoE/DC12V, IP67, IK10 (metal casing), DI/DO
A426		5MP Zoom Bullet with D/N, Adaptive IR, Extreme WDR, SLLS, 4.4x Zoom lens, f2.7-12mm/F1.6 (HOV:102.1°-31.5°), P-Iris, Auto Focus, H.265/H.264, 2D+3D DNR, Audio, PoE/DC12V/AC24V, IP66, DI/DO
A427		4MP Face Recognition Zoom Bullet with D/N, Adaptive IR, Extreme WDR, SLLS, 4.3x Zoom lens, f2.8-12mm/F1.2-2.5 (HOV:114.5°-41.8°), P-Iris, Auto Focus, H.265/H.264, 2D+3D DNR, High PoE/DC12V, IP67, IK10 (metal casing), DI/DO
A428		4MP Deep Learning AI LightGuard 4.3x Zoom Bullet with IR LED 60m, WDR 150dB
A429		4MP Deep Learning AI LightGuard 4.3x Zoom Bullet with IR LED 60m, WDR 150dB
A429-P1		4MP 4x Zoom Bullet Zoom Bullet with IR LED 100m, WDR 150dB
A431		4MP 4x Zoom Bullet with IR LED 85m, WDR 150dB
A431-P1		4MP 4.3x Zoom Bullet with IR LED 85m, WDR 150dB
A431-P2		4MP 4.5x Zoom Bullet with IR LED 85m, WDR 150dB

A432		9MP 3.6x Zoom Bullet with IR LED 30m, Basic WDR
B412		3MP Video Analytics Zoom Bullet with D/N, Adaptive IR, Extreme WDR, SLLS, 10x Zoom lens, f4.7-47mm/F1.6-3.0 (HOV:58°-5.8°), DC iris, Auto Focus, H.265/H.264, 2D+3D DNR, Built-in Microphone, High PoE/DC12V, IP67, IK10 (metal casing), DI/DO, Built-in Analytics
B419		5MP Video Analytics Zoom Bullet with D/N, Adaptive IR, Extreme WDR, SLLS, 10x Zoom lens, f4.7-47mm/F1.6-3.0 (HOV:50.67°-5.14°), DC iris, Auto Focus, H.265/H.264, 2D+3D DNR, Built-in Microphone, High PoE/DC12V, IP67, IK10 (metal casing), DI/DO, Built-in Analytics
I42		2MP Video Analytics Zoom Bullet with D/N, Adaptive IR, Extreme WDR, ELLS, 36x Zoom lens, f4.6-165.6mm/F1.55-5.0 (HOV:62.7°-2.7°), DC iris, Auto Focus, H.264, 1080p/60fps, 2D+3D DNR, Audio, PoE/DC12V, IP67, IK10 (metal casing), DI/DO, Built-in Analytics
I42-K1		2MP Video Analytics Zoom Bullet with D/N, Adaptive IR, Extreme WDR, ELLS, 36x Zoom lens, f4.6-165.6mm/F1.55-5.0 (HOV:62.7°-2.7°), DC iris, Auto Focus, H.264, 1080p/60fps, 2D+3D DNR, Audio, PoE/DC12V, IP66, IK10 (metal casing), Corrosion-resistant, DI/DO, Built-in Analytics
I47		4MP Zoom Bullet with D/N, Adaptive IR, Advanced WDR, SLLS, 30x Zoom lens, f4.3-129mm/F1.6-5.0 (HOV:66.4°-2.14°), DC iris, Auto Focus, H.264, 1080p/30fps, 2D+3D DNR, Audio, PoE/DC12V, IP67, IK10 (metal casing), DI/DO
K41		2MP Deep Learning AI 4.3x Zoom Bullet with IR LED 60m, WDR 130dB
K42		4MP Deep Learning AI 4.3x Zoom Bullet with IR LED 60m, WDR 130dB
K43		5MP Deep Learning AI 4.3x Zoom Bullet with IR LED 60m, WDR 130dB
L41		2MP Deep Learning AI 4.3x Zoom Bullet with IR LED 65m, White LED 55m, Smart Dual Light, WDR 140dB
L43		6MP Deep Learning AI 4.3x Zoom Bullet with IR LED 65m, White LED 55m, Smart Dual Light, WDR 140dB
Z411		4MP Zoom Bullet with D/N, Adaptive IR, Extreme WDR, ELLS, 22x Zoom lens, f6.5-143mm/F1.5 HOV:61.3°-3.4°), DC iris, Auto Focus (for installation), H.265/H.264, 2D+3D DNR, Audio, PoE/AC24V, IP67, DI/DO, RS-485
Z412		2MP Zoom Bullet with D/N, Adaptive IR, Superior WDR, SLLS, 4.3x Zoom lens, f2.8-12mm/F1.6 HOV:103.6°-33.4°), Auto Focus (for installation), H.265/H.264, 1080p/30fps, 2D+3D DNR, Built-in Microphone, PoE/DC12V, IP68, IK10 (metal casing)
Z413		4MP Zoom Bullet with D/N, Adaptive IR, Superior WDR, SLLS, 4.3x Zoom lens, f2.8-12mm/F1.6 (HOV:102.1°-30.7°), Auto Focus (for installation), H.265/H.264, 2D+3D DNR, Built-in Microphone, PoE/DC12V, IP68
Z413-P1		4MP Zoom Bullet with D/N, Adaptive IR, Superior WDR, SLLS, 4.3x Zoom lens, f2.8-12mm/F1.6 (HOV:102.1°-30.7°), Auto Focus (for installation), H.265/H.264, 2D+3D DNR, Built-in Microphone + line-in, line out, PoE/DC12V, IP68
Z415		2MP Zoom Bullet with D/N, Adaptive IR, Superior WDR, SLLS, 10x Zoom lens, f5-50mm/F1.6 (HOV:55.87°-4.71°), DC iris, Auto Focus (for installation), H.265/H.264, 2D+3D DNR, Audio, PoE/DC12V, IP67, IK10 (metal casing), DI/DO, RS-485






Z416		5MP Zoom Bullet with D/N, Adaptive IR, Superior WDR, SLLS, 12x Zoom lens, f5-60mm/F1.6 (HOV:59.99°-5.73°), DC iris, Auto Focus (for installation), H.265/H.264, 2D+3D DNR, Audio, PoE/DC12V, IP67, IK10 (metal casing), DI/DO, RS-485
Z419		5MP Deep Learning AI 4.3x Zoom Bullet with IR LED 60m, WDR 130dB
Z429		8MP Deep Learning AI 5x Zoom Bullet with IR LED 60m, White LED 60m, Smart Dual Light, ColorVizion, WDR 120dB
Z47		8MP Zoom Bullet with D/N, Adaptive IR, Superior WDR, SLLS, 4.3x Zoom lens, f2.8-12mm/F1.6 (HOV:99.8°-31.1°), Auto Focus (for installation), H.265/H.264, 1440p/30fps, 2D+3D DNR, Audio, PoE/DC12V, IP67, IK10 (metal casing), DI/DO
Z49		4MP Zoom Bullet with D/N, Adaptive IR, Superior WDR, SLLS, 4.3x Zoom lens, f2.8-12mm/F1.6 (HOV:102.1°-30.7°), Auto Focus (for installation), H.265/H.264, 1440p/30fps, 2D+3D DNR, Built-in Microphone,, PoE/DC12V, IP68, IK10 (metal casing)

Bullet - Thermal Bullet

A371		4MP f3.6mm Thermal Bullet with IR LED 30m, White LED 30m, WDR 120dB
A371-P1		
A371-P2		
A372		4MP f1.35mm Thermal Bullet with White LED 30m, WDR 120dB
A372-P1		
A374		4MP Deep Learning AI f3.6mm Thermal Bullet with IR LED 30m, White LED 30m, Smart Dual Light, WDR 120dB
A374-P1		
A375		
A375-P1		
A375-P2		
A376		
A376-P1		
A376-P2		


A377		5MP Deep Learning AI f3.6mm Thermal Bullet with IR LED 30m, White LED 30m, Smart Dual Light, WDR 120dB
A377-P1		
A377-P2		
K371		
K371-P1		
K371-P2		
K372		
K372-P1		
K372-P2		
VMGB-359		4MP Optical and Thermal Metadata Camera with Fixed lenses, f8.0mm (optical), f6.2mm (thermal), H.265/H.264, 3D DNR, Audio, MicroSD/MicroSDHC/MicroSDXC, PoE/DC12V, IP66, DI/DO, RS-485, Built-in Analytics
VMGB-359-P1		4MP Optical and Thermal Metadata Camera with Fixed lenses, f4.0mm (optical), f3.0mm (thermal), H.265/H.264, 3D DNR, Audio, PoE/DC12V, IP66, DI/DO, RS-485, Built-in Analytics
VMGB-370		4MP Metadata Camera with Day/Night, IR LED, Built-in Human Temperature Detection
VMGB-371		4MP Human Temperature Detection Metadata Camera with f4.0mm (optical), f3.1mm (thermal), H.265/H.264, 3D DNR, Audio, MicroSD/MicroSDHC/MicroSDXC, PoE/DC12V, IP66, DI/DO, RS-485


Dome - Fixed Dome


E54		5MP Indoor Dome with D/N, Adaptive IR, Basic WDR, Fixed lens, f3.6mm/F1.8 (HOV:72°), H.264, 1080p/30fps, DNR, PoE
E93		5MP Indoor Mini Dome with Basic WDR, Fixed lens, f1.9mm/F2.8 (HOV:126.9° (overview area), 77.4° (high detail area)), H.264, 1080p/30fps, DNR, PoE, IK08
E918		3MP Outdoor Mini Dome with Superior WDR, Fixed lens, f1.9mm/F2.8 (HOV:126.4° (overview area), 77.1° (high detail area)), H.264, 1080p/30fps, DNR, Audio, PoE, IP68, IK10, EN50155
E933		2MP Video Analytics Outdoor Mini Dome with D/N, Adaptive IR, Extreme WDR, SLLS, Fixed lens, f2.55mm/F2.2 (HOV:110.3°), H.264, 1080p/60fps, 2D+3D DNR, Audio, PoE, IP68, IK10, EN50155, Built-in Analytics
E933M		2MP Video Analytics Outdoor Mini Dome with D/N, Adaptive IR, Extreme WDR, SLLS, M12 connector, Fixed lens, f2.55mm/F2.2 (HOV:110.3°), H.264, 1080p/60fps, 2D+3D DNR, Audio, PoE, IP68, IK10, EN50155, Built-in Analytics


E936  2MP Video Analytics Outdoor Mini Dome with Extreme WDR, SLLS, Fixed lens, f2.55mm/F2.2 (HOV:110.3°), H.264, 1080p/60fps, 2D+3D DNR, Audio, PoE, IP68, IK10, EN50155, Built-in Analytics


Dome - Zoom Dome

B64  1.3MP Indoor Zoom Dome with D/N, Adaptive IR, Basic WDR, SLLS, 3x Zoom lens, f3-9mm/F1.2-2.1 (HOV:90.6°-31.8°), DC iris, Auto Focus, H.264, 720p/60fps, DNR, Audio, PoE/DC12V, IK09, DI/DO


E618  3MP Indoor Zoom Dome with D/N, Adaptive IR, Superior WDR, 4.3x Zoom lens, f3.1-13.3mm/F1.4-4.0 (HOV:64.4°-26.4°), P-Iris, Auto Focus (for installation), H.264, 1080p/30fps, 2D+3D DNR, Audio, PoE, IK09, DI/DO


E815  5MP Outdoor Zoom Dome with D/N, Adaptive IR, Basic WDR, 4.3x Zoom lens, f3.1-13.3mm/F1.4-4.0 (HOV:64.7°-25.8°), P-Iris, Auto Focus (for installation), H.264, 1080p/30fps, 2D+3D DNR, Audio, PoE, IP67, IK10, DI/DO


E816  10MP Outdoor Zoom Dome with D/N, Adaptive IR, Basic WDR, 4.3x Zoom lens, f3.1-13.3mm/F1.4-4.0 (HOV:90.6°-34.3°), P-Iris, Auto Focus (for installation), H.264, 1080p/30fps, 2D+3D DNR, Audio, PoE, IP67, IK10, DI/DO

KCM-7311  4MP Outdoor Dome with D/N, Advanced WDR, SLLS, 3.6x Zoom lens, f3.3-12mm/F1.4-2.9 (HOV:77.2°-22.6°), P-Iris, Auto Focus, H.264, 1080p/15fps, 2D+3D DNR, Audio, PoE/DC12V, IP67, Vandal Proof, DI/DO

Hemispheric & Fisheye - Hemispheric Dome

B511A  12MP Video Analytics Indoor Hemispheric Dome with D/N, Adaptive IR, Extreme WDR, SLLS, Fixed lens, f1.65mm/F2.8 (HOV:198.5° (overview area), 121.1° (high detail area)), H.264, Dewarping, 2D+3D DNR, Built-in Microphone, PoE/DC12V, DI/DO, Built-in Analytics


B57  6MP Video Analytics Indoor Hemispheric Dome with D/N, Adaptive IR, Extreme WDR, SLLS, Fixed lens, f1.3mm/F2.6 (HOV:187°), H.264, Dewarping, 2D+3D DNR, Audio, PoE/DC12V, DI/DO, Built-in Analytics

B76A  12MP Video Analytics Outdoor Hemispheric Dome with D/N, Adaptive IR, Extreme WDR, SLLS, Fixed lens, f1.65mm/F2.8 (HOV:198.5° (overview area), 121.1° (high detail area)), H.264, Dewarping, 2D+3D DNR, Built-in Microphone, PoE/DC12V, IP68, IK10, DI/DO, Built-in Analytics


Hemispheric & Fisheye - Fisheye Cube


E16  10MP Fisheye Cube with Basic WDR, Fixed lens, f1.37mm/F2.0 (HOV:187.7° (overview area), 114.5° (high detail area)), H.264, DNR, Built-in Microphone, PoE







Hemispheric & Fisheye - Fisheye Dome

E96  5MP Indoor Mini Fisheye Dome with Basic WDR, Fixed lens, f1.19mm/F2.0 (HOV:189.7° (overview area), 115.7° (high detail area)), H.264, DNR, PoE, IK08




PTZ - PTZ

B923  3MP Video Analytics Indoor Speed Dome with D/N, Extreme WDR, SLLS, 30x Zoom lens, f4.5-135mm/F1.6-4.4 (HOV:58.5°-3.2°), DC iris, Auto Focus, H.265/H.264, 2D+3D DNR, Audio, High PoE/DC12V, IK09, DI/DO, Built-in Analytics


B934  2MP Video Analytics Indoor Speed Dome with D/N, Extreme WDR, SLLS, 30x Zoom lens, f4.5-135mm/F1.6-4.4 (HOV:62.4°-3.5°), DC iris, Auto Focus, H.264, 1080p/60fps, 2D+3D DNR, Audio, High PoE/DC 12V, IK09, DI/DO, Built-in Analytics

B911		3MP Video Analytics Outdoor Mini PTZ with D/N, Extreme WDR, SLLS, 10x Zoom lens, f4.7-47mm/F1.6-3.0 (HOV:58°-5.8°), DC iris, Auto Focus, H.265/H.264, 2D+3D DNR, Audio, PoE/DC12V, IP67, IK10, DI/DO, Built-in Analytics
B912		5MP Video Analytics Outdoor Mini PTZ with D/N, Extreme WDR, SLLS, 10x Zoom lens, f4.7-47mm/F1.6-3.0 (HOV:50.67°-5.14°), DC iris, Auto Focus, H.265/H.264, 2D+3D DNR, Audio, PoE/DC12V, IP67, IK10, DI/DO, Built-in Analytics
B915		3MP Video Analytics Outdoor Speed Dome with D/N, Adaptive IR, Extreme WDR, SLLS, 36x Zoom lens, f4.6-165.6mm/F1.55-5.0 (HOV:57.6°-2.35°), DC iris, Auto Focus, H.265/H.264, 2D+3D DNR, Audio, High PoE/AC24V, IP66, IK10 (metal casing), DI/DO, Built-in Analytics
B916		2MP Video Analytics Outdoor Speed Dome with D/N, Extreme WDR, SLLS, 20x Zoom lens, f4.7-94mm/F1.6-3.5 (HOV:62°-2.8°), DC iris, Auto Focus, H.264, 1080p/60fps, 2D+3D DNR, Audio, MicroSDHC/MicroSDXC, High PoE/AC24V, IP67, IK10, DI/DO, Built-in Analytics
I915		2MP Video Analytics Outdoor Speed Dome with D/N, Adaptive IR, Extreme WDR, SLLS, 36x Zoom lens, f4.6-165.6mm/F1.55-5.0 (HOV:62.7°-2.7°), DC iris, Auto Focus, H.264, 1080p/60fps, 2D+3D DNR, Audio, High PoE/AC24V, IP66, IK10 (metal casing), DI/DO, Built-in Analytics
I98		2MP Video Analytics Outdoor Speed Dome with D/N, Adaptive IR, Extreme WDR, SLLS, 33x Zoom lens, f4.5-148.5mm/F1.6-5.0 (HOV:69.3°-3°), DC iris, Auto Focus, H.264, 1080p/60fps, 2D+3D DNR, Audio, High PoE/AC24V, IP66, IK10 (metal casing), DI/DO, Built-in Analytics

Covert - Covert

Q113		2MP Indoor L-Shape Pinhole Covert with Basic WDR, SLLS, Fixed lens, f3.7mm/F2.5 (HOV:84.5°), H.264, 1080p/30fps, 2D+3D DNR, Audio, PoE/DC12V, EN50155, DI/DO, RS-232
Q115		5MP Indoor L-Shape Pinhole Covert with Basic WDR, Fixed lens, f3.7mm/F2.5 (HOV:70.2°), H.264, DNR, Audio, PoE/DC12V, EN50155, DI/DO, RS-232
Q12		2MP Indoor Covert with Basic WDR, SLLS, Fixed lens, f2.55mm/F2.2 (HOV:110.3°), H.264, 1080p/30fps, 2D+3D DNR, Audio, PoE/DC12V, EN50155, DI/DO, RS-232

Enclosures - Box Camera Housing

PMAX-0208		Explosion Proof Housing with Heater, Fan (AC 110V~220V) and Bracket
-----------	---	---