

PMAX-0524

Pole Mount (for A46, A410, A421, A422, A423, A425, VMGB-359) , supports 2.64" to 5" Poles



Specifications

Product Profile

Product Type	Camera Mount
Description	Pole Mount (for A46, A410, A421, A422, A423, A425, VMGB-359) , supports 2.64" to 5" Poles

General

Weight	563.5g (1.242lb)
Dimensions	(W x H x D): 144mm x 131.6mm x 44.3mm (5.67" x 5.18" x 1.74")
Color	White
Material	Stainless Steel
Warranty	1 Year(s)

Related Products

Bullet - Zoom Bullet

A410	 5MP Zoom Bullet with D/N, Adaptive IR, Extreme WDR, SLLS, 5x Zoom lens, f2.7-13.5mm/F1.4-3.3 (HOV:96.8°-30.7°), Adaptive iris, Auto Focus (for installation), H.265/H.264, 1080p/30fps, 2D+3D DNR, Audio, PoE/DC12V, IP66, IK10 (metal casing), DI/DO
------	---

A421		8MP Video Analytics Zoom Bullet with D/N, Adaptive IR, Extreme WDR, SLLS, 4.3x Zoom lens, f2.8-12mm/F1.3, Auto Focus (for installation), H.265/H.264, 4K/30fps, 2D+3D DNR, Audio, PoE/DC12V, IP66, IK10 (metal casing), DI/DO, Built-in Analytics
A422		4MP Zoom Bullet with D/N, IR, Extreme WDR, SLLS, 5x Zoom lens, f2.7-13.5mm/F1.6 (HOV:102.8°-32.4°), H.265/H.264, 3D DNR, Audio, PoE/DC12V, IP68, IK10 (metal casing), DI/DO
A423		6MP Zoom Bullet with D/N, IR, Extreme WDR, SLLS, 4.3x Zoom lens, f2.8-12mm/F1.6 (HOV:102.1°-34.5°), H.265/H.264, 3D DNR, Audio, PoE/DC12V, IP68, IK10 (metal casing), DI/DO
A424		
A425		2MP Zoom Bullet with D/N, Adaptive IR, Extreme WDR, ELLS, 4.3x Zoom lens, f2.8-12mm/F1.8-3.3 (HOV:106.6°-34.6°), Adaptive iris, Auto Focus (for installation), H.265/H.264, 1080p/60fps, 2D+3D DNR, Audio, PoE/DC12V, IP67, IK10 (metal casing), DI/DO
A429		4MP Deep Learning AI LightGuard 4.3x Zoom Bullet with IR LED 60m, WDR 150dB
L41		2MP Deep Learning AI 4.3x Zoom Bullet with IR LED 65m, White LED 55m, Smart Dual Light, WDR 140dB
L43		6MP Deep Learning AI 4.3x Zoom Bullet with IR LED 65m, White LED 55m, Smart Dual Light, WDR 140dB

Bullet - Thermal Bullet

A372		4MP f1.35mm Thermal Bullet with White LED 30m, WDR 120dB
A372-P1		
A374		4MP Deep Learning AI f3.6mm Thermal Bullet with IR LED 30m, White LED 30m, Smart Dual Light, WDR 120dB
A375		
A375-P1		
A375-P2		
A376		
A376-P1		
A376-P2		
A377		5MP Deep Learning AI f3.6mm Thermal Bullet with IR LED 30m, White LED 30m, Smart Dual Light, WDR 120dB

A377-P1



A377-P2



A383



VMGB-359



4MP Optical and Thermal Metadata Camera with Fixed lenses, f8.0mm (optical), f6.2mm (thermal), H.265/H.264, 3D DNR, Audio, MicroSD/MicroSDHC/MicroSDXC, PoE/DC12V, IP66, DI/DO, RS-485, Built-in Analytics

VMGB-359-P1



4MP Optical and Thermal Metadata Camera with Fixed lenses, f4.0mm (optical), f3.0mm (thermal), H.265/H.264, 3D DNR, Audio, PoE/DC12V, IP66, DI/DO, RS-485, Built-in Analytics

VMGB-371



4MP Human Temperature Detection Metadata Camera with f4.0mm (optical), f3.1mm (thermal), H.265/H.264, 3D DNR, Audio, MicroSD/MicroSDHC/MicroSDXC, PoE/DC12V, IP66, DI/DO, RS-485

Hemispheric & Fisheye - Hemispheric Bullet

A317

