








General



PoE Standard	IEEE 802.3af, IEEE 802.3at
PoE Output	Maximum 30 Watts per port
PoE Power Budget	Maximum 120 W
Power Source	AC 100-240V
Weight	1220g (2.65lb)
Dimensions	(W x H x D): 220mm x 44mm x 150mm (8.66" x 1.73" x 5.90")
Fan	No
Operating Temperature	0°C ~ 50°C (32°F ~ 122°F)
Storage Temperature	-10 °C ~ 70 °C (14 °F ~ 158 °F)
Operating Humidity	5% - 95% RH, non-condensing
ESD Protection	Contact Discharge: 6KV, Air Discharge: 8KV
Approvals	CE Class A, FCC Class A
Color	Deep Blue
Material	Metal
Warranty	1 Year(s)

▶ Related Products**Cube - Fixed Cube**


E11		1MP Cube with Basic WDR, Fixed lens, f4.2mm/F1.8 (HOV:53.8°), H.264, 720p/30fps, DNR, Audio, PoE
E11A		1MP Cube with Basic WDR, Fixed lens, f4.2mm/F1.8 (HOV:53.8°), H.264, 720p/30fps, DNR, Built-in Microphone, PoE
E13A		5MP Cube with Basic WDR, Fixed lens, f2.8mm/F2.0 (HOV:92.6°), H.264, 1080p/30fps, DNR, Built-in Microphone, PoE
E14		10MP Cube with Basic WDR, Fixed lens, f3.6mm/F1.8 (HOV:99°), H.264, 1080p/30fps, DNR, Built-in Microphone, PoE
E19		5MP Cube with Extreme WDR, SLLS, Fixed lens, f2.8mm/F1.8 (HOV:117.5°), H.265/H.264, 1080p/30fps, 2D+3D DNR, Built-in Microphone, PoE

Box - Fixed Box















A213		5MP Box with D/N, Extreme WDR, ELLS, Fixed lens, f2.8mm/F2.0, Auto Back Focus, H.265/H.264, 2D+3D DNR, Built-in Microphone, PoE/DC12V, DI/DO, RS-485
A29		2MP Box with D/N, Extreme WDR, ELLS, Fixed lens, f2.8mm/F1.8 (HOV:108.6°), Auto Back Focus, H.265/H.264, 1080p/60fps, 2D+3D DNR, Audio, PoE/DC12V, DI/DO, RS-485














E217		2MP Video Analytics Box with D/N, Extreme WDR, SLLS, Fixed lens, f2.93mm/F2.0 (HOV:101.3°), H.264, 1080p/60fps, 2D+3D DNR, Audio, PoE/DC12V, DI/DO, RS-422/RS-485, Built-in Analytics
Q22		2MP Outdoor Micro Box with Basic WDR, SLLS, Fixed lens, f2.55mm/F2.2 (HOV:110.3°), H.264, 1080p/30fps, DNR, Built-in Microphone, PoE/DC12V, IP68 (for Lens module and Lens cable), IK10 (metal casing), EN50155, DI/DO, RS-232

Box - Zoom Box


B26		3MP Video Analytics Zoom Box with D/N, Extreme WDR, SLLS, 36x Zoom lens, f4.6-165.6mm/F1.55-5.0 (HOV:57.6°-2.35°), DC iris, Auto Focus, H.265/H.264, 2D+3D DNR, Audio, PoE/DC12V, DI/DO, RS-422/RS-485, Built-in Analytics
-----	---	--

Bullet - Fixed Bullet



A313		4MP Mini Bullet with D/N, IR, Extreme WDR, SLLS, Fixed lens, f2.8mm/F1.6 (HOV:99°), H.265/H.264, 3D DNR, PoE/DC12V, IP68, IK10 (metal casing)
A314		6MP Mini Bullet with D/N, IR, Extreme WDR, SLLS, Fixed lens, f2.8mm/F1.6, H.265/H.264, 3D DNR, PoE/DC12V, IP67, IK10
E33A		5MP Bullet with D/N, Adaptive IR, Basic WDR, Fixed lens, f4.2mm/F1.8 (HOV:62.7°), H.264, 1080p/30fps, DNR, PoE, IP68, IK10 (metal casing)
K31		2MP Deep Learning AI f2.8mm Fixed Bullet with IR LED 50m, WDR 130dB
K31-P1		2MP Deep Learning AI f4.0mm Fixed Bullet with IR LED 50m, WDR 130dB
K32		4MP Deep Learning AI f2.8mm Fixed Bullet with IR LED 50m, WDR 130dB
K32-P1		4MP Deep Learning AI f4.0mm Fixed Bullet with IR LED 50m, WDR 130dB
K33		5MP Deep Learning AI f2.8mm Fixed Bullet with IR LED 50m, WDR 130dB
L31		2MP Deep Learning AI f2.8mm Fixed Bullet with IR LED 55m, White LED 50m, Smart Dual Light, WDR 140dB
L31-P1		
L33		6MP Deep Learning AI f2.8mm Fixed Bullet with IR LED 55m, White LED 50m, Smart Dual Light, WDR 140dB
L33-P1		
Z315		5MP Mini Bullet with D/N, Adaptive IR, Superior WDR, SLLS, Fixed lens, f2.8mm/F1.6 (HOV:112.9°), H.265/H.264, 2D+3D DNR, Built-in Microphone, PoE/DC12V, IP68
Z316		2MP Mini Bullet with D/N, Adaptive IR, Superior WDR, SLLS, Fixed lens, f2.8mm/F2.0 (HOV:108.6°), H.265/H.264, 1080p/30fps, 2D+3D DNR, Built-in Microphone, PoE/DC12V, IP68

















Z316-P1		2MP Mini Bullet with D/N, Adaptive IR, Superior WDR, SLLS, Fixed lens, f4.0mm/F2.0 (HOV:81.1°), H.265/H.264, 1080p/30fps, 2D+3D DNR, Built-in Microphone, PoE/DC12V, IP68
Z317		4MP Mini Bullet with D/N, Adaptive IR, Superior WDR, SLLS, Fixed lens, f2.8mm/F2.0 (HOV:90°), H.265/H.264, 1440p/25fps, 2D+3D DNR, Built-in Microphone, PoE/DC12V, IP68
Z317-P1		4MP Mini Bullet with D/N, Adaptive IR, Superior WDR, SLLS, Fixed lens, f4.0mm/F2.0 (HOV:71.3°), H.265/H.264, 1440p/25fps, 2D+3D DNR, Built-in Microphone, PoE/DC12V, IP68
Z318		8MP Mini Bullet with D/N, Adaptive IR, Superior WDR, SLLS, Fixed lens, f2.8mm/F1.6 (HOV:112.9°), H.265/H.264, 1440p/30fps, 2D+3D DNR, Built-in Microphone, PoE/DC12V, IP67
Z319		5MP Mini Bullet with D/N, Adaptive IR, Superior WDR, SLLS, Fixed lens, f2.8mm/F1.6 (HOV:112.9°), H.265/H.264, 2D+3D DNR, Built-in Microphone, PoE/DC12V, IP67
Z322		4MP Outdoor Mini Bullet with D/N, Adaptive IR, White LED (50 meters), Basic WDR, SLLS, Fixed lens, f2.8mm/F1.6 (HOV: 97°), H.265/H.264, 2D+3D DNR, Built-in Microphone, PoE/DC12V, IP67
Z324		4MP Mini Bullet with White LED, Superior WDR, SLLS, Fixed lens, f2.8mm/F1.0 (HOV:110.4°), H.265/H.264, 2D+3D DNR, Built-in Microphone, , PoE/DC12V, IP67
Z325		8MP Mini Bullet with D/N, Adaptive IR, Superior WDR, SLLS, Fixed lens, f2.8mm/F2.0 (HOV:102.1°), H.265/H.264, 1080p/30fps, 2D+3D DNR, Built-in Microphone, PoE/DC12V, IP68, IK10 (metal casing)
Z330		2MP Deep Learning AI ColorGuard f2.8mm Fixed Bullet with IR LED 50m, White LED 50m, Smart Dual Light, WDR 120dB
Z330-P1		2MP Deep Learning AI ColorGuard f4.0mm Fixed Bullet with IR LED 30m, White LED 30m, Smart Dual Light, WDR 120dB
Z331		4MP Deep Learning AI ColorGuard f2.8mm Fixed Bullet with IR LED 50m, White LED 50m, Smart Dual Light, WDR 120dB
Z331-P1		4MP Deep Learning AI ColorGuard f4.0mm Fixed Bullet with IR LED 50m, White LED 50m, Smart Dual Light, WDR 120dB
Z332		5MP Deep Learning AI ColorGuard f2.8mm Fixed Bullet with IR LED 50m, White LED 50m, Smart Dual Light, WDR 130dB

















Bullet - Vari-focal Bullet



A432-P1		9MP Vari-focal Bullet with IR LED 30m, Basic WDR
E43B		5MP Bullet with D/N, Adaptive IR, Basic WDR, Vari-focal lens, f2.8-12mm/F1.4 (HOV:69.2°-28.2°), H.264, 1080p/30fps, DNR, Audio, PoE, IP68, IK10 (metal casing), DI/DO

Bullet - Zoom Bullet

















A410		5MP Zoom Bullet with D/N, Adaptive IR, Extreme WDR, SLLS, 5x Zoom lens, f2.7-13.5mm/F1.4-3.3 (HOV:96.8°-30.7°), Adaptive iris, Auto Focus (for installation), H.265/H.264, 1080p/30fps, 2D+3D DNR, Audio, PoE/DC12V, IP66, IK10 (metal casing), DI/DO
A412		











A415		3MP Zoom Bullet with D/N, Adaptive IR, Extreme WDR, SLLS, 4.3x Zoom lens, f2.8-12mm/F1.4-2.8 (HOV:88°-25°), P-Iris, Auto Focus (for installation), H.265/H.264, 1080p/30fps, 2D+3D DNR, Audio, PoE/DC12V, IP66, IK10 (metal casing), DI/DO
A421		8MP Video Analytics Zoom Bullet with D/N, Adaptive IR, Extreme WDR, SLLS, 4.3x Zoom lens, f2.8-12mm/F1.3, Auto Focus (for installation), H.265/H.264, 4K/30fps, 2D+3D DNR, Audio, PoE/DC12V, IP66, IK10 (metal casing), DI/DO, Built-in Analytics
A422		4MP Zoom Bullet with D/N, IR, Extreme WDR, SLLS, 5x Zoom lens, f2.7-13.5mm/F1.6 (HOV:102.8°-32.4°), H.265/H.264, 3D DNR, Audio, PoE/DC12V, IP68, IK10 (metal casing), DI/DO
A423		6MP Zoom Bullet with D/N, IR, Extreme WDR, SLLS, 4.3x Zoom lens, f2.8-12mm/F1.6 (HOV:102.1°-34.5°), H.265/H.264, 3D DNR, Audio, PoE/DC12V, IP68, IK10 (metal casing), DI/DO
A425		2MP Zoom Bullet with D/N, Adaptive IR, Extreme WDR, ELLS, 4.3x Zoom lens, f2.8-12mm/F1.8-3.3 (HOV:106.6°-34.6°), Adaptive iris, Auto Focus (for installation), H.265/H.264, 1080p/60fps, 2D+3D DNR, Audio, PoE/DC12V, IP67, IK10 (metal casing), DI/DO
A426		5MP Zoom Bullet with D/N, Adaptive IR, Extreme WDR, SLLS, 4.4x Zoom lens, f2.7-12mm/F1.6 (HOV:102.1°-31.5°), P-Iris, Auto Focus, H.265/H.264, 2D+3D DNR, Audio, PoE/DC12V/AC24V, IP66, DI/DO
A427		4MP Face Recognition Zoom Bullet with D/N, Adaptive IR, Extreme WDR, SLLS, 4.3x Zoom lens, f2.8-12mm/F1.2-2.5 (HOV:114.5°-41.8°), P-Iris, Auto Focus, H.265/H.264, 2D+3D DNR, High PoE/DC12V, IP67, IK10 (metal casing), DI/DO
A428		4MP Deep Learning AI LightGuard 4.3x Zoom Bullet with IR LED 60m, WDR 150dB
A429		4MP Deep Learning AI LightGuard 4.3x Zoom Bullet with IR LED 60m, WDR 150dB
A429-P1		4MP 4x Zoom Bullet Zoom Bullet with IR LED 100m, WDR 150dB
A431		4MP 4x Zoom Bullet with IR LED 85m, WDR 150dB
A431-P1		4MP 4.3x Zoom Bullet with IR LED 85m, WDR 150dB
A431-P2		4MP 4.5x Zoom Bullet with IR LED 85m, WDR 150dB
A432		9MP 3.6x Zoom Bullet with IR LED 30m, Basic WDR
B412		3MP Video Analytics Zoom Bullet with D/N, Adaptive IR, Extreme WDR, SLLS, 10x Zoom lens, f4.7-47mm/F1.6-3.0 (HOV:58°-5.8°), DC iris, Auto Focus, H.265/H.264, 2D+3D DNR, Built-in Microphone, High PoE/DC12V, IP67, IK10 (metal casing), DI/DO, Built-in Analytics
B419		5MP Video Analytics Zoom Bullet with D/N, Adaptive IR, Extreme WDR, SLLS, 10x Zoom lens, f4.7-47mm/F1.6-3.0 (HOV:50.67°-5.14°), DC iris, Auto Focus, H.265/H.264, 2D+3D DNR, Built-in Microphone, High PoE/DC12V, IP67, IK10 (metal casing), DI/DO, Built-in Analytics

I42		2MP Video Analytics Zoom Bullet with D/N, Adaptive IR, Extreme WDR, ELLS, 36x Zoom lens, f4.6-165.6mm/F1.55-5.0 (HOV:62.7°-2.7°), DC iris, Auto Focus, H.264, 1080p/60fps, 2D+3D DNR, Audio, PoE/DC12V, IP67, IK10 (metal casing), DI/DO, Built-in Analytics
I42-K1		2MP Video Analytics Zoom Bullet with D/N, Adaptive IR, Extreme WDR, ELLS, 36x Zoom lens, f4.6-165.6mm/F1.55-5.0 (HOV:62.7°-2.7°), DC iris, Auto Focus, H.264, 1080p/60fps, 2D+3D DNR, Audio, PoE/DC12V, IP66, IK10 (metal casing), Corrosion-resistant, DI/DO, Built-in Analytics
I47		4MP Zoom Bullet with D/N, Adaptive IR, Advanced WDR, SLLS, 30x Zoom lens, f4.3-129mm/F1.6-5.0 (HOV:66.4°-2.14°), DC iris, Auto Focus, H.264, 1080p/30fps, 2D+3D DNR, Audio, PoE/DC12V, IP67, IK10 (metal casing), DI/DO
K41		2MP Deep Learning AI 4.3x Zoom Bullet with IR LED 60m, WDR 130dB
K42		4MP Deep Learning AI 4.3x Zoom Bullet with IR LED 60m, WDR 130dB
K43		5MP Deep Learning AI 4.3x Zoom Bullet with IR LED 60m, WDR 130dB
L41		2MP Deep Learning AI 4.3x Zoom Bullet with IR LED 65m, White LED 55m, Smart Dual Light, WDR 140dB
L43		6MP Deep Learning AI 4.3x Zoom Bullet with IR LED 65m, White LED 55m, Smart Dual Light, WDR 140dB
Z411		4MP Zoom Bullet with D/N, Adaptive IR, Extreme WDR, ELLS, 22x Zoom lens, f6.5-143mm/F1.5 HOV:61.3°-33.4°, DC iris, Auto Focus (for installation), H.265/H.264, 2D+3D DNR, Audio, PoE/AC24V, IP67, DI/DO, RS-485
Z412		2MP Zoom Bullet with D/N, Adaptive IR, Superior WDR, SLLS, 4.3x Zoom lens, f2.8-12mm/F1.6 HOV:103.6°-33.4°, Auto Focus (for installation), H.265/H.264, 1080p/30fps, 2D+3D DNR, Built-in Microphone, PoE/DC12V, IP68, IK10 (metal casing)
Z413		4MP Zoom Bullet with D/N, Adaptive IR, Superior WDR, SLLS, 4.3x Zoom lens, f2.8-12mm/F1.6 (HOV:102.1°-30.7°), Auto Focus (for installation), H.265/H.264, 2D+3D DNR, Built-in Microphone, PoE/DC12V, IP68
Z413-P1		4MP Zoom Bullet with D/N, Adaptive IR, Superior WDR, SLLS, 4.3x Zoom lens, f2.8-12mm/F1.6 (HOV:102.1°-30.7°), Auto Focus (for installation), H.265/H.264, 2D+3D DNR, Built-in Microphone + line-in, line out, PoE/DC12V, IP68
Z415		2MP Zoom Bullet with D/N, Adaptive IR, Superior WDR, SLLS, 10x Zoom lens, f5-50mm/F1.6 (HOV:55.87°-4.71°), DC iris, Auto Focus (for installation), H.265/H.264, 2D+3D DNR, Audio, PoE/DC12V, IP67, IK10 (metal casing), DI/DO, RS-485
Z416		5MP Zoom Bullet with D/N, Adaptive IR, Superior WDR, SLLS, 12x Zoom lens, f5-60mm/F1.6 (HOV:59.99°-5.73°), DC iris, Auto Focus (for installation), H.265/H.264, 2D+3D DNR, Audio, PoE/DC12V, IP67, IK10 (metal casing), DI/DO, RS-485
Z419		5MP Deep Learning AI 4.3x Zoom Bullet with IR LED 60m, WDR 130dB
Z429		8MP Deep Learning AI 5x Zoom Bullet with IR LED 60m, White LED 60m, Smart Dual Light, ColorVizion, WDR 120dB







Z47		8MP Zoom Bullet with D/N, Adaptive IR, Superior WDR, SLLS, 4.3x Zoom lens, f2.8-12mm/F1.6 (HOV:99.8°-31.1°), Auto Focus (for installation), H.265/H.264, 1440p/30fps, 2D+3D DNR, Audio, PoE/DC12V, IP67, IK10 (metal casing), DI/DO
Z49		4MP Zoom Bullet with D/N, Adaptive IR, Superior WDR, SLLS, 4.3x Zoom lens, f2.8-12mm/F1.6 (HOV:102.1°-30.7°), Auto Focus (for installation), H.265/H.264, 1440p/30fps, 2D+3D DNR, Built-in Microphone, PoE/DC12V, IP68, IK10 (metal casing)

Bullet - Thermal Bullet


A371		4MP f3.6mm Thermal Bullet with IR LED 30m, White LED 30m, WDR 120dB
A371-P1		
A371-P2		
A372		4MP f1.35mm Thermal Bullet with White LED 30m, WDR 120dB
A372-P1		
A374		4MP Deep Learning AI f3.6mm Thermal Bullet with IR LED 30m, White LED 30m, Smart Dual Light, WDR 120dB
A374-P1		
A375		
A375-P1		
A375-P2		
A376		
A376-P1		
A376-P2		
A377		5MP Deep Learning AI f3.6mm Thermal Bullet with IR LED 30m, White LED 30m, Smart Dual Light, WDR 120dB
A377-P1		
A377-P2		




K371		
K371-P1		
K371-P2		
K372		
K372-P1		
K372-P2		
VMGB-359		4MP Optical and Thermal Metadata Camera with Fixed lenses, f8.0mm (optical), f6.2mm (thermal), H.265/H.264, 3D DNR, Audio, MicroSD/MicroSDHC/MicroSDXC, PoE/DC12V, IP66, DI/DO, RS-485, Built-in Analytics
VMGB-359-P1		4MP Optical and Thermal Metadata Camera with Fixed lenses, f4.0mm (optical), f3.0mm (thermal), H.265/H.264, 3D DNR, Audio, PoE/DC12V, IP66, DI/DO, RS-485, Built-in Analytics
VMGB-370		4MP Metadata Camera with Day/Night, IR LED, Built-in Human Temperature Detection
VMGB-371		4MP Human Temperature Detection Metadata Camera with f4.0mm (optical), f3.1mm (thermal), H.265/H.264, 3D DNR, Audio, MicroSD/MicroSDHC/MicroSDXC, PoE/DC12V, IP66, DI/DO, RS-485

Dome - Fixed Dome




E54		5MP Indoor Dome with D/N, Adaptive IR, Basic WDR, Fixed lens, f3.6mm/F1.8 (HOV:72°), H.264, 1080p/30fps, DNR, PoE
E93		5MP Indoor Mini Dome with Basic WDR, Fixed lens, f1.9mm/F2.8 (HOV:126.9° (overview area), 77.4° (high detail area)), H.264, 1080p/30fps, DNR, PoE, IK08
E918		3MP Outdoor Mini Dome with Superior WDR, Fixed lens, f1.9mm/F2.8 (HOV:126.4° (overview area), 77.1° (high detail area)), H.264, 1080p/30fps, DNR, Audio, PoE, IP68, IK10, EN50155
E933		2MP Video Analytics Outdoor Mini Dome with D/N, Adaptive IR, Extreme WDR, SLLS, Fixed lens, f2.55mm/F2.2 (HOV:110.3°), H.264, 1080p/60fps, 2D+3D DNR, Audio, PoE, IP68, IK10, EN50155, Built-in Analytics
E933M		2MP Video Analytics Outdoor Mini Dome with D/N, Adaptive IR, Extreme WDR, SLLS, M12 connector, Fixed lens, f2.55mm/F2.2 (HOV:110.3°), H.264, 1080p/60fps, 2D+3D DNR, Audio, PoE, IP68, IK10, EN50155, Built-in Analytics
E936		2MP Video Analytics Outdoor Mini Dome with Extreme WDR, SLLS, Fixed lens, f2.55mm/F2.2 (HOV:110.3°), H.264, 1080p/60fps, 2D+3D DNR, Audio, PoE, IP68, IK10, EN50155, Built-in Analytics

Dome - Zoom Dome

B64		1.3MP Indoor Zoom Dome with D/N, Adaptive IR, Basic WDR, SLLS, 3x Zoom lens, f3-9mm/F1.2-2.1 (HOV:90.6°-31.8°), DC iris, Auto Focus, H.264, 720p/60fps, DNR, Audio, PoE/DC12V, IK09, DI/DO
-----	---	--

E618		3MP Indoor Zoom Dome with D/N, Adaptive IR, Superior WDR, 4.3x Zoom lens, f3.1-13.3mm/F1.4-4.0 (HOV:64.4°-26.4°), P-Iris, Auto Focus (for installation), H.264, 1080p/30fps, 2D+3D DNR, Audio, PoE, IK09, DI/DO
E815		5MP Outdoor Zoom Dome with D/N, Adaptive IR, Basic WDR, 4.3x Zoom lens, f3.1-13.3mm/F1.4-4.0 (HOV:64.74°-25.8°), P-Iris, Auto Focus (for installation), H.264, 1080p/30fps, 2D+3D DNR, Audio, PoE, IP67, IK10, DI/DO
E816		10MP Outdoor Zoom Dome with D/N, Adaptive IR, Basic WDR, 4.3x Zoom lens, f3.1-13.3mm/F1.4-4.0 (HOV:90.6°-34.3°), P-Iris, Auto Focus (for installation), H.264, 1080p/30fps, 2D+3D DNR, Audio, PoE, IP67, IK10, DI/DO


Hemispheric & Fisheye - Hemispheric Dome

B511A		12MP Video Analytics Indoor Hemispheric Dome with D/N, Adaptive IR, Extreme WDR, SLLS, Fixed lens, f1.65mm/F2.8 (HOV:198.5° (overview area), 121.1° (high detail area)), H.264, Dewarping, 2D+3D DNR, Built-in Microphone, PoE/DC12V, DI/DO, Built-in Analytics
B57		6MP Video Analytics Indoor Hemispheric Dome with D/N, Adaptive IR, Extreme WDR, SLLS, Fixed lens, f1.3mm/F2.6 (HOV:187°), H.264, Dewarping, 2D+3D DNR, Audio, PoE/DC12V, DI/DO, Built-in Analytics
B76A		12MP Video Analytics Outdoor Hemispheric Dome with D/N, Adaptive IR, Extreme WDR, SLLS, Fixed lens, f1.65mm/F2.8 (HOV:198.5° (overview area), 121.1° (high detail area)), H.264, Dewarping, 2D+3D DNR, Built-in Microphone, PoE/DC12V, IP68, IK10, DI/DO, Built-in Analytics






Hemispheric & Fisheye - Fisheye Cube




E16		10MP Fisheye Cube with Basic WDR, Fixed lens, f1.37mm/F2.0 (HOV:187.7° (overview area), 114.5° (high detail area)), H.264, DNR, Built-in Microphone, PoE
-----	---	--

Hemispheric & Fisheye - Fisheye Dome




E96		5MP Indoor Mini Fisheye Dome with Basic WDR, Fixed lens, f1.19mm/F2.0 (HOV:189.7° (overview area), 115.7° (high detail area)), H.264, DNR, PoE, IK08
-----	--	--

PTZ - PTZ


B923		3MP Video Analytics Indoor Speed Dome with D/N, Extreme WDR, SLLS, 30x Zoom lens, f4.5-135mm/F1.6-4.4 (HOV:58.5°-3.2°), DC iris, Auto Focus, H.265/H.264, 2D+3D DNR, Audio, High PoE/DC12V, IK09, DI/DO, Built-in Analytics
B934		2MP Video Analytics Indoor Speed Dome with D/N, Extreme WDR, SLLS, 30x Zoom lens, f4.5-135mm/F1.6-4.4 (HOV:62.4°-3.5°), DC iris, Auto Focus, H.264, 1080p/60fps, 2D+3D DNR, Audio, High PoE/DC 12V, IK09, DI/DO, Built-in Analytics
B911		3MP Video Analytics Outdoor Mini PTZ with D/N, Extreme WDR, SLLS, 10x Zoom lens, f4.7-47mm/F1.6-3.0 (HOV:58°-5.8°), DC iris, Auto Focus, H.265/H.264, 2D+3D DNR, Audio, PoE/DC12V, IP67, IK10, DI/DO, Built-in Analytics
B912		5MP Video Analytics Outdoor Mini PTZ with D/N, Extreme WDR, SLLS, 10x Zoom lens, f4.7-47mm/F1.6-3.0 (HOV:50.67°-5.14°), DC iris, Auto Focus, H.265/H.264, 2D+3D DNR, Audio, PoE/DC12V, IP67, IK10, DI/DO, Built-in Analytics
B915		3MP Video Analytics Outdoor Speed Dome with D/N, Adaptive IR, Extreme WDR, SLLS, 36x Zoom lens, f4.6-165.6mm/F1.55-5.0 (HOV:57.6°-2.35°), DC iris, Auto Focus, H.265/H.264, 2D+3D DNR, Audio, High PoE/AC24V, IP66, IK10 (metal casing), DI/DO, Built-in Analytics

B916		2MP Video Analytics Outdoor Speed Dome with D/N, Extreme WDR, SLLS, 20x Zoom lens, f4.7-94mm/F1.6-3.5 (HOV:62°-2.8°), DC iris, Auto Focus, H.264, 1080p/60fps, 2D+3D DNR, Audio, MicroSDHC/MicroSDXC, High PoE/AC24V, IP67, IK10, DI/DO, Built-in Analytics
I915		2MP Video Analytics Outdoor Speed Dome with D/N, Adaptive IR, Extreme WDR, ELLS, 36x Zoom lens, f4.6-165.6mm/F1.55-5.0 (HOV:62.7°-2.7°), DC iris, Auto Focus, H.264, 1080p/60fps, 2D+3D DNR, Audio, High PoE/AC24V, IP66, IK10 (metal casing), DI/DO, Built-in Analytics
I98		2MP Video Analytics Outdoor Speed Dome with D/N, Adaptive IR, Extreme WDR, SLLS, 33x Zoom lens, f4.5-148.5mm/F1.6-5.0 (HOV:69.3°-3°), DC iris, Auto Focus, H.264, 1080p/60fps, 2D+3D DNR, Audio, High PoE/AC24V, IP66, IK10 (metal casing), DI/DO, Built-in Analytics

Covert - Covert

Q113		2MP Indoor L-Shape Pinhole Covert with Basic WDR, SLLS, Fixed lens, f3.7mm/F2.5 (HOV:84.5°), H.264, 1080p/30fps, 2D+3D DNR, Audio, PoE/DC12V, EN50155, DI/DO, RS-232
Q115		5MP Indoor L-Shape Pinhole Covert with Basic WDR, Fixed lens, f3.7mm/F2.5 (HOV:70.2°), H.264, DNR, Audio, PoE/DC12V, EN50155, DI/DO, RS-232
Q12		2MP Indoor Covert with Basic WDR, SLLS, Fixed lens, f2.55mm/F2.2 (HOV:110.3°), H.264, 1080p/30fps, 2D+3D DNR, Audio, PoE/DC12V, EN50155, DI/DO, RS-232

Access & Communication - Door Station

Q950		6MP Outdoor Door Station with D/N, IR, Extreme WDR, SLLS, Fixed lens, f1.65mm/F2.8 (HOV:198.5° (overview area), 121.1° (high detail area)), RFID, PIR, Push Button, H.264, Dewarping, 2D+3D DNR, Built-in Microphone, Speaker, PoE/DC12V, IP66, IK09, DI/DO, RS-422/RS-485
------	---	--